

### 1. Product and Company Identification

<b>Product Code:</b>	S200		
<b>Product Name:</b>	SANI CHLOR DISH MACHINE COMPOUND		
<b>Company Name:</b>	SUNBELT LABORATORIES	<b>Phone Number:</b>	(281)261-4747
	P.O. BOX 1563		
	STAFFORD, TX 77497		
<b>Web site address:</b>	www.sunbelt-labs.com		
<b>Emergency Contact:</b>	CHEM-TEL		(800)255-3924

### 2. Hazards Identification

**Acute Toxicity: Oral, Category 4**  
**Skin Corrosion/Irritation, Category 1A**  
**Serious Eye Damage/Eye Irritation, Category 1**  
**Aquatic Toxicity (Acute), Category 2**



**GHS Signal Word:** **Danger**

**GHS Hazard Phrases:** May cause or intensify fire; oxidizer.  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
Causes serious eye damage.  
Toxic to aquatic life.

**GHS Precaution Phrases:** Keep away from combustible materials.  
Keep reduction valves free from grease and oil.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash hands thoroughly after handling.  
Avoid release to the environment.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Do not eat, drink or smoke when using this product.

**GHS Response Phrases:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.  
Specific treatment see ... on this label.  
Wash contaminated clothing before reuse.  
In case of fire, stop leak if safe to do so.  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
Rinse mouth.

**GHS Storage and Disposal Phrases:** Store in well-ventilated place.  
Store locked up.  
Dispose of contents/container to ...



# SAFETY DATA SHEET

## SANI CHLOR DISH MACHINE COMPOUND

<b>OSHA Regulatory Status:</b>	This material is classified as hazardous under OSHA regulations.
<b>Potential Health Effects (Acute and Chronic):</b>	<p>Prolonged or repeated eye contact may cause conjunctivitis.</p> <p>Prolonged or repeated skin contact may cause dermatitis.</p> <p>Chronic: Effects may be delayed.</p>
<b>Inhalation:</b>	Harmful if inhaled. Irritation may lead to chemical pneumonitis and pulmonary edema. Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma. Causes chemical burns to the respiratory tract. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema. Aspiration may lead to pulmonary edema.
<b>Skin Contact:</b>	May cause deep, penetrating ulcers of the skin. Causes severe burns with delayed tissue destruction. Causes redness and pain. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color.
<b>Eye Contact:</b>	Causes severe eye burns. May cause irreversible eye injury. Contact may cause ulceration of the conjunctiva and cornea. Eye damage may be delayed. Causes redness and pain. When substance becomes wet or comes in contact with moisture of the mucous membranes, it will cause irritation. May cause chemical conjunctivitis and corneal damage. Causes eye irritation.
<b>Ingestion:</b>	Harmful if swallowed. May cause severe and permanent damage to the digestive tract. Causes gastrointestinal tract burns. May cause circulatory system failure. Causes severe digestive tract burns with abdominal pain, vomiting, and possible death. May cause systemic effects. Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
1310-58-3	Potassium hydroxide	10.0 -20.0 %	
7681-52-9	Sodium hypochlorite	7.0 -17.0 %	
1344-09-8	Sodium silicate	1.0 -6.0 %	
9003-04-7	Sodium polyacrylate	4.0 -9.0 %	
7320-34-5	Potassium pyrophosphate	3.0 -8.0 %	

### 4. First Aid Measures

#### Emergency and First Aid

##### Procedures:

<b>In Case of Inhalation:</b>	Get medical aid immediately. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.
<b>In Case of Skin Contact:</b>	Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Discard contaminated clothing in a manner which limits further exposure. Destroy contaminated shoes. If water-reactive products are embedded in the skin, no water should be applied. The embedded products should be covered with a light oil.
<b>In Case of Eye Contact:</b>	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes).
<b>In Case of Ingestion:</b>	If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.



# SAFETY DATA SHEET

## SANI CHLOR DISH MACHINE COMPOUND

**Note to Physician:** Treat symptomatically and supportively.

### 5. Fire Fighting Measures

**Flash Pt:** NE

**Explosive Limits:** LEL: No data. UEL: No data.

**Autoignition Pt:** No data.

**Suitable Extinguishing Media:** Use dry sand or earth to smother fire. Use extinguishing media appropriate to surrounding fire conditions. DO NOT USE WATER!

**Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Water reactive. Material will react with water and may release a flammable and/or toxic gas. Wear appropriate protective clothing to prevent contact with skin and eyes. Wear a self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. May ignite or explode on contact with steam or moist air. Substance is noncombustible. Oxidizer. Greatly increases the burning rate of combustible materials.

**Flammable Properties and Hazards:** No data available.  
No data available.

### 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation. Do not expose spill to water. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

### 7. Handling and Storage

**Precautions To Be Taken in Handling:** Wash thoroughly after handling. Do not allow water to get into the container because of violent reaction. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale. Do not allow contact with water. Use only in a chemical fume hood. Discard contaminated shoes. Keep from contact with moist air and steam. Avoid breathing dust, mist, or vapor. Avoid contact with clothing and other combustible materials. Avoid ingestion and inhalation. Use with adequate ventilation.

**Precautions To Be Taken in Storing:** Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from water. Corrosives area. Store protected from moisture. Keep refrigerated. (Store below 4°C/39°F.)

### 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-58-3	Potassium hydroxide	No data.	CEIL: 2 mg/m <sup>3</sup>	No data.
7681-52-9	Sodium hypochlorite	No data.	No data.	No data.
1344-09-8	Sodium silicate	No data.	No data.	No data.
9003-04-7	Sodium polyacrylate	No data.	No data.	No data.



# SAFETY DATA SHEET

## SANI CHLOR DISH MACHINE COMPOUND

Page: 4  
 Printed: 07/07/2015  
 Revision: 07/07/2015  
 Supersedes Revision: 06/14/2015

7320-34-5	Potassium pyrophosphate	No data.	No data.	No data.
-----------	-------------------------	----------	----------	----------

<b>Respiratory Equipment (Specify Type):</b>	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.
<b>Eye Protection:</b>	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
<b>Protective Gloves:</b>	Wear appropriate protective gloves to prevent skin exposure.
<b>Other Protective Clothing:</b>	Wear appropriate protective clothing to prevent skin exposure.
<b>Engineering Controls (Ventilation etc.):</b>	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

### 9. Physical and Chemical Properties

<b>Physical States:</b>	[ ] Gas    [ X ] Liquid    [ ] Solid		
<b>Appearance and Odor:</b>	Yellowish. chlorine-like.		
<b>pH:</b>	14		
<b>Melting Point:</b>	NE		
<b>Boiling Point:</b>	> 212.00 F (100.0 C)		
<b>Flash Pt:</b>	NE		
<b>Evaporation Rate:</b>	< 1		
<b>Flammability (solid, gas):</b>	No data available.		
<b>Explosive Limits:</b>	LEL: No data.	UEL: No data.	
<b>Vapor Pressure (vs. Air or mm Hg):</b>	< 1		
<b>Vapor Density (vs. Air = 1):</b>	< 1		
<b>Specific Gravity (Water = 1):</b>	1.22	at 77.0 F (25.0 C)	
<b>Density:</b>	NE		
<b>Solubility in Water:</b>	Soluble		
<b>Octanol/Water Partition Coefficient:</b>	No data.		
<b>Percent Volatile:</b>	70.0 % by volume.		
<b>Autoignition Pt:</b>	No data.		
<b>Decomposition Temperature:</b>	No data.		
<b>Viscosity:</b>	No data.		

### 10. Stability and Reactivity

<b>Stability:</b>	Unstable [ ]    Stable [ X ]
<b>Conditions To Avoid - Instability:</b>	dust generation, Exposure to moist air or water, Incompatible materials, Light.
<b>Incompatibility - Materials To Avoid:</b>	Moisture, acids, methanol, Metals. Oxidizing agents, Reducing agents, Strong acids, acids (organic, e.g. acetic acid, benzoic acid, formic acid, methanoic acid, oxalic acid).
<b>Hazardous Decomposition or Byproducts:</b>	Oxides of potassium, hydrogen gas. Hydrogen chloride, chlorine, sodium oxide.
<b>Possibility of Hazardous Reactions:</b>	Will occur [ ]    Will not occur [ X ]
<b>Conditions To Avoid - Hazardous Reactions:</b>	Product will not undergo polymerization.

### 11. Toxicological Information

**Toxicological Information:** Epidemiology: No information found.  
 Teratogenicity: No information available. Reproductive Effects: Mutagenicity:  
 Neurotoxicity:

**Carcinogenicity/Other Information:** CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7681-52-9:  
 Not listed by ACGIH, IARC, NTP, or CA Prop 65.

**Carcinogenicity:** NTP? No IARC Monographs? No OSHA Regulated? No

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1310-58-3	Potassium hydroxide	n.a.	n.a.	n.a.	n.a.
7681-52-9	Sodium hypochlorite	n.a.	n.a.	n.a.	n.a.
1344-09-8	Sodium silicate	n.a.	n.a.	n.a.	n.a.
9003-04-7	Sodium polyacrylate	n.a.	n.a.	n.a.	n.a.
7320-34-5	Potassium pyrophosphate	n.a.	n.a.	n.a.	n.a.

### 12. Ecological Information

**General Ecological Information:** Environmental: No information found.  
 Physical: No information found.  
 Other: No information available.

### 13. Disposal Considerations

**Waste Disposal Method:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.  
 RCRA P-Series: None listed.  
 RCRA U-Series: None listed.

### 14. Transport Information

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Potassium hydroxide, solution. mixture. Compounds, cleaning liquid.  
**DOT Hazard Class:** 8 CORROSIVE  
**UN/NA Number:** NA1760 **Packing Group:** II



**LAND TRANSPORT (Canadian TDG):**

**TDG Shipping Name:** Potassium hydroxide, solution. HYPOCHLORITE SOLUTIONS.

**AIR TRANSPORT (ICAO/IATA):**

**ICAO/IATA Shipping Name:** Potassium hydroxide, solution. mixture.

### 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-58-3	Potassium hydroxide	No	Yes 1000 LB	No
7681-52-9	Sodium hypochlorite	No	Yes 100 LB	No
1344-09-8	Sodium silicate	No	No	No
9003-04-7	Sodium polyacrylate	No	No	No



# SAFETY DATA SHEET

## SANI CHLOR DISH MACHINE COMPOUND

7320-34-5	Potassium pyrophosphate	No	No	No
-----------	-------------------------	----	----	----

**This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:**

<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Acute (immediate) Health Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Chronic (delayed) Health Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Fire Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Sudden Release of Pressure Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1310-58-3	Potassium hydroxide	TSCA: Inventory
7681-52-9	Sodium hypochlorite	TSCA: Inventory
1344-09-8	Sodium silicate	TSCA: Inventory
9003-04-7	Sodium polyacrylate	TSCA: Inventory
7320-34-5	Potassium pyrophosphate	TSCA: Inventory


### 16. Other Information

**Revision Date:** 07/07/2015

**Hazard Rating System:**

<b>HEALTH</b>	<input type="checkbox"/>	<b>3</b>	
<b>FLAMMABILITY</b>	<input type="checkbox"/>	<b>0</b>	
<b>REACTIVITY</b>	<input type="checkbox"/>	<b>1</b>	
<b>PPE</b>			

**HMIS:**



**Additional Information About This Product:** No data available.

**Company Policy or Disclaimer:**

**DISCLAIMER:** To the best of our knowledge, the information contained herein is accurate. There is no assumption of liability for accuracy contained within this information. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.